

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	"5721827".pn. or "5819160".pn. or "5931901".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:23
L2	215	"5721827".uref. or "5819160".uref. or "5931901".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:24
L3	114	2 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:38
L4	265	(advertisement or advertising) adj segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:47
L5	43	4 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:38
L6	0	(advertisement or advertising) adj (subsegment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:43
L7	0	(advertisement or advertising) adj (sub adj segment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:43
L8	215	2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:43
L9	0	(advertisement or advertising) near3 (sub adj segment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:43
L10	2	(advertisement or advertising) near3 (sub adj frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:44

L11	3	(advertisement or advertising) near3 (sub adj stream\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:44
L12	24	("5532735").URPN.	USPAT	OR	OFF	2005/12/15 10:47
L13	334	purchase near2 option	USPAT	OR	OFF	2005/12/15 10:47
L14	0	13 and 4	USPAT	OR	OFF	2005/12/15 10:47
L15	1239	(advertisement or advertising) with segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:47
L16	4	15 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:59
L17	2	"5990883".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:59
S1	789	sub adj segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:29
S2	0	S1 same (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:43
S3	7	S1 and (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:28
S4	29	("5327508" "5515270" "5592560" "5642485" "5644723" "5649114" "5724521" "5822735" "5884277" "5924080" "5970469" "5983196" "6012051" "6014634" "6014638" "6049777" "6055513" "6055573" "6061660" "6094677" "6134532" "6185541" "6236978" "6298330" "6324524" "6327574" "6332126" "6415262" "6434534" "2003/0032476" "2003/0065563"). PN.	USPAT	OR	OFF	2004/06/09 12:28

S5	79	segment\$1 same (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:30
S6	2269	705/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:30
S7	19	S6 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:29
S8	723	segment\$1 and (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:30
S9	129	S8 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:42
S10	23	(playback adj device) and 709/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:43
S11	151	345/864.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:43
S12	2	S11 and (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:44
S13	17	("5579472" "5689642" "5761662" "6044205" "6057840" "6144991" "6151621" "6161149" "6205478" "6226670" "6260124" "6317777" "6336134" "6338086" "6385591" "6636247" "6677964").PN.	USPAT	OR	OFF	2004/06/09 12:44
S14	1	S13 and (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:44

S15	424	S6 and (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:45
S16	6	"6601040".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:58
S17	0	S16 and (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:56
S18	2	"6338044".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 14:00
S19	3	(sub adj (section\$1 or segment\$1)) with (advertisement\$1 or ads)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:54
S20	5	709/231.ccls. and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:55
S21	18380	subframe\$1 or (sub adj frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:57
S22	0	S21 with (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:56
S23	9	S21 and (ads and advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:56
S24	15131	(subframe\$1 or (sub adj frame\$1)) with frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:58

S25	6335	subframe\$1 with frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:06
S26	1057	709/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:06
S27	4	S26 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:07
S28	0	S6 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:07
S29	12	S1 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:21
S30	115610	(translat\$4 or modif\$8 or conversion\$1 or convert\$3 or decod\$3 or deencapsulat\$4 or (de adj compress\$4)) near3 (ads or advertisement\$1 or segment\$1 or frame\$1 or packet\$1 or field\$1 or subfield\$1 or (sub adj field\$1) or subframe\$1 or (sub adj frame\$1) or (sub adj segment\$1) or subsegment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:23
S31	139612	(translat\$4 or modif\$8 or conversion\$1 or convert\$3 or decod\$3 or deencapsulat\$4 or (de adj compress\$4)) near3 (ads or advertisement\$1 or segment\$1 or frame\$1 or packet\$1 or field\$1 or subfield\$1 or (sub adj field\$1) or subframe\$1 or (sub adj frame\$1) or (sub adj segment\$1) or subsegment\$1 or content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:49
S32	2141	709/245-246.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:23

S33	615	S32 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:23
S34	81	S26 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:24
S35	36	S34 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:24
S36	17	S6 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:36
S37	7	S36 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:24
S42	5	S36 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:36
S43	227	S33 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:39
S44	16	S43 and (ads or advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:38
S45	635	725/32-36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:39
S46	160	S45 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:39

S47	54	S46 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:52
S48	493	(conversion\$1 or convert\$3) near5 (ads or advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:51
S49	40	S48 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:52
S50	3	S49 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 14:01
S51	5391	playback adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:53
S52	70791	(conversion or convert\$3)with format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:54
S53	482	S52 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:54
S54	4	S53 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:55
S55	254	raw adj format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:55
S56	186	S55 and (convert\$3 or conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:55

S57	5	S56 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:55
S58	913	(client\$1 or subscriber\$1 or user\$1) with response\$1 with (advertisement\$1 or ads)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 14:01
S59	222	S58 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 14:01
S60	46	S59 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 14:02
S61	1747	(subfield\$1 or (sub adj segment\$1) or subframe\$1 or (sub adj frame\$1) or (sub adj field\$1)) near5 contain\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 14:03
S62	11	S61 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 14:03
S63	1	"5732216".pn. and (timestamp\$3 or (time adj stamp\$3) or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 08:52
S64	1	"5732216".pn. and deliver\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 13:58
S65	1	"5732216".pn. and browser\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:03
S66	1	"5732216".pn. and (pda or pager or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:03

S67	1	"5732216".pn. and (pda\$1 or pager or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:03
S68	1	"5732216".pn. and (pda\$1 or pager or mobile or wireless or cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:04
S69	0	"5732216".pn. and pager\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:04
S70	0	"5732216".pn. and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:05
S71	1	"5732216".pn. and number\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:12
S72	1	"5732216".pn. and address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:15
S73	1	"5732216".pn. and credit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:17
S74	1	"5732216".pn. and preference\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:22
S75	1	"5732216".pn. and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:24
S76	2	"5732216".pn. and (processor\$1 or cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:27

S77	1	"5732216".pn. and (instruction\$1 or software or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:34
S78	1	"5732216".pn. and (convert\$3 or conversion\$1 or translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:40
S79	1	"5732216".pn. and menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:55
S80	2	"5752242".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:55
S81	8	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:37
S82	0	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.) and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:56
S83	0	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.) and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:56
S84	0	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.) and pager\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:56
S85	1531	bluetooth and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:56
S86	261	(bluetooth and usb) and advertis\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:56

S87	2	"5732216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:57
S88	73	"5732216".URPN.	USPAT	OR	OFF	2003/12/23 14:57
S89	1	(bluetooth and usb) and "5732216". URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:58
S90	0	"5732216".pn. and pager\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:58
S91	1204	bluetooth and pager\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:58
S92	9	(bluetooth and pager\$1) and usb and ((deliver\$4 or download\$3) near10 advertis\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 14:59
S93	53	(bluetooth and pager\$1) and ((deliver\$4 or download\$3) near10 advertis\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 15:00
S94	3	((bluetooth and pager\$1) and ((deliver\$4 or download\$3) near10 advertis\$7)) and @ad<"19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 15:01
S95	2	"5931901".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/23 15:02
S96	2	"5732216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 08:55
S97	1	"5732216".pn. and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 08:59

S98	1	"5732216".pn. and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:05
S99	0	"5732216".pn. and interleav\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:17
S10 0	1	"5732216".pn. and (translat\$4 or conversion\$1 or convert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:19
S10 1	1	"5732216".pn. and combin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:21
S10 2	42	interleav\$3 near3 advertis\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:33
S10 3	13	(interleav\$3 near3 advertis\$6) and (cellular or mobile or wireless or pda or pager\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:23
S10 4	1	"5732216".pn. and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:34
S10 5	311	tunable adj receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:34
S10 6	10	(tunable adj receiver\$1) and advertisement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:35
S10 7	1	"5732216".pn. and television	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:35

S10 8	8	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 09:37
S10 9	3	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.) and (tv or television)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:38
S11 0	3	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.) and (tv or television)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:57
S11 1	0	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.) and (tv or television)) and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:39
S11 2	8	"6601040".pn. or "6161134".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:40
S11 3	0	("6601040".pn. or "6161134".pn.) and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:40
S11 4	1	("6601040".pn. or "6161134".pn.) and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:41
S11 5	157	usb and bluetooth and advertisement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:44
S11 6	22	(usb and bluetooth and advertisement\$1) and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:44
S11 7	1434	bluetooth and (ad or ads or advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:50

S11 8	115	(bluetooth and (ad or ads or advertisement\$1)) and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:50
S11 9	5	((bluetooth and (ad or ads or advertisement\$1)) and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))) and @ad<"19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:50
S12 0	2	"5819160".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:47
S12 1	1702	usb and (ad or ads or advertisement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:50
S12 2	4641	12and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:52
S12 3	100	(usb and (ad or ads or advertisement\$1)) and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:50
S12 4	12	((usb and (ad or ads or advertisement\$1)) and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))) and @ad<"19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:50
S12 5	5	((usb and (ad or ads or advertisement\$1)) and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))) and @ad<"19990811" and (wireless or cellular or pda\$1 or pager\$1 or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:52
S12 6	5017	access adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:52
S12 7	1	(access adj bus) and ((deliver\$3 or download\$3) near10 (advertis\$3 or banner\$1 or ads or ad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:57

S12 8	8	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:57
S12 9	0	((("5752242") or ("6055566") or ("6529878") or ("6338044")).PN.) and interleav\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:57
S13 0	79	interleav\$3 near5 (ads or ad or advertis\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 10:58
S13 1	17	(interleav\$3 near5 (ads or ad or advertis\$6)) and (pager\$1 or cellular or mobile or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 11:00
S13 2	17	(interleav\$3 near5 (ads or ad or advertis\$6)) and (pager\$1 or cellular or mobile or wireless or pda\$1 or palm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 11:02
S13 3	1	"5732216".pn. and combin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 11:02
S13 4	57	interleav\$4 near7 (ads or advertis\$6 or banner\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 18:45
S13 5	34	(interleav\$4 near7 (ads or advertis\$6 or banner\$1)) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 18:48
S13 6	2	"5732216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 18:49
S13 7	1	"5732216".pn. and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 18:49

S13 8	1	"5732216".pn. and channel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:04
S13 9	17630	interleav\$3 near5 (audio or video or information or data or image\$1 or music or stream\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:05
S14 0	921	vaughn.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:05
S14 1	3	vaughn.xa. and (interleav\$3 near5 (audio or video or information or data or image\$1 or music or stream\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:06
S14 2	930	709/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:06
S14 3	82	709/231.ccls. and (interleav\$3 near5 (audio or video or information or data or image\$1 or music or stream\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:06
S14 4	20	(709/231.ccls. and (interleav\$3 near5 (audio or video or information or data or image\$1 or music or stream\$1))) and (ads or advertis\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:09
S14 5	1	"5732216".pn. and timestamp\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:10
S14 6	1	("5732216".pn. and timestamp\$3) and number\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:11
S14 7	0	((("5732216".pn. and timestamp\$3) and number\$1) and wired	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:12

S148	1	((("5732216".pn. and timestamp\$3) and number\$1) and wire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:16
S149	50	acacia.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 19:37
S150	1	"5732216".pn. and (translat\$4 or convert\$3 or conversion\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 20:27
S151	1	"5732216".pn. and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 20:56
S152	1	"5732216".pn. and (gui or interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/28 20:56
S153	2	"5892905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:49
S154	0	"5892905".pn. and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:50
S155	4	"6061698".pn. or "6085229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:51
S156	0	("6061698".pn. or "6085229".pn.) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:51
S157	24	"6061698".uref. or "6085229".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:51

S15 8	6	("6061698".uref. or "6085229".uref.) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:53
S15 9	1	("6061698".pn. or "6085229".pn.) and (transmission or send\$3 or transfer\$4 or transmit\$4 or forward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:00
S16 0	2430	customiz\$8 near4 (document\$1 or page or html or (web adj page\$1) or (web adj document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:02
S16 1	5	"715"/\$.ccls. and ((customiz\$8 near4 (document\$1 or page or html or (web adj page\$1) or (web adj document\$1))) same proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:03
S16 2	2243	(advertisement\$1 or ads or ad or advertising) with download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:34
S16 3	20175	programming near2 (information or content or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:35
S16 4	2305	725/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:35
S16 5	51	S162 and S163 and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:35
S16 6	7	S165 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:45
S16 7	20796	(sub adj (frame\$1 or segment\$1)) or subframe\$1 or subsegment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:36

S16 8	7	S167 and S162	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:54
S16 9	2542	705/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:54
S17 0	34	S169 and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:54
S17 1	9	S170 and menu\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:55
S17 2	61	mobile and S162 and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:55
S17 3	176	(mobile or cellular or wireless) and S162 and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:55
S17 4	0	S173 and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:55
S17 5	14	S173 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:58
S17 6	2	"5732216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:58
S17 7	1	S176 and download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:24

S17 8	2727	associat\$4 near3 (timestamp or time) near5 (content or segment\$1 or frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:25
S17 9	225	(tunable adj receiver) and (timestamp or time or (time adj stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:44
S18 0	65	(tunable adj receiver) same (timestamp or time or (time adj stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:44
S18 1	23	S180 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:45
S18 2	37179	divid\$3 near4 segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:08
S18 3	1682	(subsegment\$1 or (sub adj segment\$1)) same segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:01
S18 4	677	S182 and S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:01
S18 5	49	player and S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:02
S18 6	25	S185 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:40
S18 7	2	"5732216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:09

S18 8	0	S187 and sub	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:09
S18 9	119	"5732216".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:09
S19 0	35	S189 and sub	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:17
S19 1	1	S187 and (purchas\$3 or buy\$3 or bill\$3 or payment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:18
S19 2	1238	gui same (purchas\$3 or buy\$3 or bill\$3 or payment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:18
S19 3	0	S192 and S189	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:18
S19 4	21	S192 and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 12:20
S19 5	21	S194 and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 12:20
S19 6	37179	divid\$3 near4 segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:08
S19 7	37179	divid\$3 near4 segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:37

S19 8	1682	(subsegment\$1 or (sub adj segment\$1)) same segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:02
S19 9	1238	gui same (purchas\$3 or buy\$3 or bill\$3 or payment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:38
S20 0	757	(advertisement or advertis\$3) near3 segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:39
S20 1	8	(subsegment\$1 or (sub adj segment\$1)) same segment\$1 and S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:38
S20 2	231252	(advertisement or advertis\$3 or ad or ads)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:58
S20 3	237398	(advertisement\$1 or advertis\$3 or ad or ads)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:00
S20 4	160	S203 and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:39
S20 5	55	S204 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:55
S20 6	1005	response adj indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:47
S20 7	105	S206 and S203	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:47

S208	27	S207 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:48
S209	0	S206 and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:48
S210	108	S198 same respon\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:48
S211	52	S210 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S212	10	S203 and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:49
S213	160	S198 and S203	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:50
S214	55	S213 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:55
S215	40	(map\$4 or associate or associating) with(subsegment\$1 or (sub adj segment\$1)) same segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:55
S216	38	(map\$4 or associate or associating) with((subsegment\$1 or (sub adj segment\$1)) same segment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:58
S217	15	S216 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:58

S21 8	185	(select\$4 or choos\$3) with((subsegment\$1 or (sub adj segment\$1)) same segment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:58
S21 9	25	S202 and S218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:58
S22 0	10	S219 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:02
S22 1	5297	(advertisement\$1 or advertis\$3 or ad or ads or content)near3 (segment\$1 or subsegment\$1 or (sub adj segment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S22 2	48172	user adj2 (response\$1 or selection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:05
S22 3	681	S222 and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:02
S22 4	141	S223 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:32
S22 5	20	(subsegment\$1 or (sub adj segment\$1)) and S223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S22 6	10	(user near4 (response\$1 or select\$1 or selection\$1)) with ((sub adj segment) or subsegment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:43
S22 7	0	S198 same(response adj button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:07

S22 8	1	S198 and(response adj button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:08
S22 9	8	(mobile or wireless or cellular) and S205	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:22
S23 0	226848	(mobile or wireless or internet or web or cellular) near3 (telephone or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:23
S23 1	23	S230 and S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:24
S23 2	7211	(purchas\$3 or buy\$3 or pay\$3) near5 (advertisement\$1 or advertis\$3 or ad or ads)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:31
S23 3	907	725/32-36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:31
S23 4	3103	705/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:31
S23 5	1049	S234 and S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:31
S23 6	6	S235 and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:31
S23 7	241	S232 and S233	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:32

S23 8	1	S237 and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:32
S23 9	449	S221 and S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:32
S24 0	70	S239 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:32
S24 1	2	(subsegment\$1 or (sub adj segment\$1)) and S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:33
S24 2	11308	(advertisement\$1 or advertis\$3 or ad or ads or content) with (segment\$1 or subsegment\$1 or (sub adj segment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S24 3	1474	S242 and playback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S24 4	31	(subsegment\$1 or (sub adj segment\$1)) and S243	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:35
S24 5	6	S244 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:38
S24 6	120101	(partition\$3 or divid\$3) near5 (stream\$1 or segment\$1 or packet\$1 or frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:37
S24 7	14369	(substream\$1 or subsegment\$1 or subpacket\$1 or subframe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:38

S24 8	3036	S246 and S247	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:38
S24 9	39	S221 and S248	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:38
S25 0	15	S249 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:38
S25 1	66	(user or subscriber\$1) with (choos\$3 or response\$1 or select\$1 or selection\$1) with ((sub adj segment) or substream\$1 or subsegment\$1 or subpacket\$1 or subframe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 14:46
S25 2	18546	content near2 (segment\$1 or frame\$1 or stream\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:13
S25 3	91521	(divid\$3 or partition\$3) near3 (segment\$1 or stream\$1 or frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:13
S25 4	25592	(subframe\$1 or substream\$1 or subsegment\$1) or ((sub adj frame\$1) or (sub adj stream\$1) or (sub adj frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:14
S25 5	124	"5732216".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:18
S25 6	0	S255 and S254	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:14
S25 7	11962	"725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:15

S25 8	116	S257 and S254	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:15
S25 9	498	S252 and S254	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:15
S26 0	28	S259 and S258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:15
S26 1	136	S253 and S252 and S257	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:15
S26 2	4773	programming adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:16
S26 3	2072	programming adj guide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:16
S26 4	6	S263 and S261	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:17
S26 5	0	S264 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:17
S26 6	5440	S257 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:55
S26 7	280	S266 and S253	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:17

S268	2	"5732216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:18
S269	1	S268 and (separat\$4 or divid\$3 or split\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:20
S270	1	S268 and segment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:22
S271	1	S268 and (convert\$3 or conversion\$1 or translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:56
S272	779	S252 with (convert\$3 or conversion\$1 or translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:25
S273	3	S272 and S266	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:25
S274	2	S268 and (menu\$1 or choice\$1 or gui or select\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:56
S275	1	S274 and (wireless\$1 or mobile or cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 15:56
S276	1	S275 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:23
S277	1	S268 and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:36

S27 8	1	S268 and download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:36
S27 9	26355	server with (convert\$3 or conversion\$1 or translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:37
S28 0	0	S279 and S268	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:38
S28 1	1	S268 and (choice\$1 or response\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:54
S28 2	116	"5239540".pn. or "5239540".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:55
S28 3	81	S282 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:16
S28 4	31	S283 and menu\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:03
S28 5	1860	menu near2 within near3 menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:00
S28 6	105	S285 and S257	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:01
S28 7	46	S286 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:04

S28 8	20	S253 and S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:03
S28 9	1271120	(advertis\$8 or song\$1 or new\$1) near4 associated (choice or menu or selection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:04
S29 0	405	(advertis\$8 or song\$1 or new\$1) near4 associated near5 (choice or menu or selection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:04
S29 1	127	S290 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:09
S29 2	3	submenu and S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:07
S29 3	1934	advertis\$4 near2 (repository or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:08
S29 4	3586	(advertise or advertisement or advertising or ad) near2 (repository or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:08
S29 5	142	S294 same (menu or option\$1 or choice\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:09
S29 6	4	S295 and (S263 or S262)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:09
S29 7	1205	S294 and (menu or option\$1 or choice\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:09

S29 8	40	S297 and 715/7\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:09
S29 9	7	S298 and @ad<"19990812"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:24
S30 0	4	(program adj content) near5 (contain\$1 or associat\$3) near5 (menu or option\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:17